

Contents

UNIT 1

Planning Nursing Care

1. Nursing Process 3

UNIT 2

Pregnancy/Antepartum Period

2. Genetic Counseling 23

Anxiety (Specify Level) 24

Knowledge Deficit Regarding Purpose and Process of Genetic Counseling 25

Risk for Altered Family Process 27

Spiritual Distress 28

Low Self-esteem, Situational 29

Risk for Injury, Related to Complications of Testing Procedures 30

3. Trimesters 31

First Trimester 32

Risk for Imbalanced Nutrition: Less than Body Requirements 32

Deficient Fluid Volume 33

Acute Pain 35

Deficient Knowledge Regarding Natural Progression of Pregnancy 36

Deficient Knowledge Regarding Self-care Activities 37

Risk for Fetal Injury 38

Risk for Constipation 40

Risk for Urinary Tract Infection 40

Risk for Ineffective Role Performance 41

Second Trimester 42

Deficient Knowledge Regarding Natural Progression of Labor 42

Risk for Cardiac Output: Decompensation 43

Risk for Excess Fluid Volume 44

Discomfort (Pain) 46

Ineffective Breathing Pattern 47

Ineffective Sexuality Pattern 48

Third Trimester 49

Discomfort (Pain) 49

Deficient Knowledge Regarding Birth Process 51

Disturbed Sleep Pattern 52

Impaired Urinary Elimination 53

Risk for Maternal Injury 54

Risk for Impaired Fetal Gas Exchange 56

4. High-risk Pregnancy	58
<i>Anxiety (Specify Level) 59</i>	
<i>Deficient Knowledge Regarding High-risk Situation/Preterm Labor 60</i>	
<i>Risk for Imbalanced Nutrition: Less/More than Body Requirements 61</i>	
<i>Risk for Fetal Injury 62</i>	
<i>Risk for Maternal Injury 65</i>	
<i>Risk for Deficient Fluid Volume 66</i>	
<i>Risk for Impaired Gas Exchange 68</i>	
<i>Risk for Activity Intolerance 69</i>	
<i>Risk for Ineffective/Compromised Family Coping 70</i>	
<i>Risk for Interrupted Family Process 72</i>	
5. Cardiac Conditions in Pregnancy	74
<i>Risk for Cardiac Output Decompensation 74</i>	
<i>Risk for Excess Fluid Volume 77</i>	
<i>Risk for Maternal Infection 78</i>	
<i>Risk for Activity Intolerance 79</i>	
<i>Deficient Knowledge Regarding Condition, Prognosis and Treatment Needs 80</i>	
6. Pregnancy-induced Hypertension	82
<i>Deficient Fluid Volume 83</i>	
<i>Decreased Cardiac Output 85</i>	
<i>Ineffective Uteroplacental Tissue Perfusion 86</i>	
<i>Risk for Maternal Injury 88</i>	
<i>Deficient Knowledge Regarding Condition, Prognosis and Management 89</i>	
7. Diabetes Mellitus: Pre-pregnancy/Gestational	91
<i>Risk for Imbalanced Nutrition 92</i>	
<i>Risk for Fetal Injury 94</i>	
<i>Risk for Maternal Injury 95</i>	
<i>Deficient Knowledge Regarding Diabetic Condition, Treatment, Prognosis and Self-care 97</i>	
8. Prenatal Hemorrhage	99
<i>Deficient Fluid Volume 100</i>	
<i>Ineffective Uteroplacental Tissue Perfusion 102</i>	
<i>Fear: Regarding Self, Fetus and Outcome of Pregnancy 103</i>	
<i>Risk for Maternal Injury 104</i>	
<i>Acute Pain 105</i>	
9. Prenatal Infection	107
<i>Risk for Maternal/Fetal Infection 108</i>	
<i>Deficient Knowledge Regarding Treatment, Prevention and Prognosis of Condition 111</i>	
<i>Discomfort 114</i>	
10. Premature Dilation of Cervix (Incompetent/Dysfunctional Cervix)	116
<i>Anxiety (Specify Level) 117</i>	
<i>Risk for Maternal Injury 118</i>	
<i>Risk for Fetal Injury 119</i>	
<i>Anticipatory Grieving 119</i>	
<i>Deficient Knowledge Regarding Nature of Condition and Self-care Needs 120</i>	

11. Spontaneous Termination of Pregnancy/Abortion	122
<i>Risk for Maternal Injury</i>	122
<i>Deficient Knowledge Regarding Cause of Abortion, Self-care and Contraception</i>	123
<i>Risk for Ineffective Sexuality Patterns</i>	124
12. Elective Termination	126
<i>Risk for Decisional Conflict</i>	126
<i>Deficient Knowledge Regarding Reproduction, Contraception and Self-care</i>	128
<i>Risk for Spiritual Distress</i>	129
<i>Anxiety (Specify Level)</i>	130
<i>Acute Pain/Discomfort</i>	130
<i>Risk for Maternal Injury</i>	131
13. Preterm Labor/Prevention of Delivery	133
<i>Anxiety/Fear (Specify Level)</i>	134
<i>Risk for Maternal Injury</i>	135
<i>Risk for Fetal Injury</i>	136
<i>Deficient Knowledge Regarding Preterm Labor</i>	137
14. Pregnant Adolescent	139
<i>Imbalanced Nutrition: Less than Body Requirements</i>	140
<i>Deficient Knowledge Regarding Pregnancy, Individual Needs and Future Responsibilities</i>	141
<i>Risk for Fetal Injury</i>	143
<i>Social Isolation</i>	144
<i>Risk for Impaired Parenting</i>	145
15. Prenatal Substance Abuse/Dependence	147
<i>Imbalanced Nutrition: Less than Body Requirements</i>	148
<i>Ineffective Coping</i>	149
<i>Powerlessness</i>	150
<i>Compromised Family Coping; Caregiver Role Strain</i>	151
<i>Deficient Knowledge Regarding Pregnancy, Prognosis, Self-care and Treatment Needs</i>	153
UNIT 3 Intrapartum Period	
16. Labor Stage I: Latent Phase	157
<i>Risk for Anxiety</i>	157
<i>Deficient Knowledge Regarding Progression of Labor and Available Options</i>	158
<i>Risk for Deficient Fluid Volume</i>	160
<i>Risk for Ineffective Coping</i>	160
<i>Risk for Maternal Infection</i>	162
<i>Risk for Fetal Injury</i>	163
17. Labor Stage I: Active Phase	165
<i>Acute Pain</i>	165
<i>Impaired Urinary Elimination</i>	167
<i>Risk for Ineffective Coping</i>	168
<i>Risk for Maternal Injury</i>	168
<i>Risk for Impaired Fetal Gas Exchange (Hypoxia)</i>	170

18. Labor Stage I: Transition Phase (Deceleration)	172
<i>Acute Pain</i> 172	
<i>Risk for Deficient Fluid Volume</i> 174	
<i>Fatigue</i> 175	
19. Labor Stage II: Expulsion of Fetus	177
<i>Acute Pain</i> 178	
<i>Risk for Impaired Fetal Gas Exchange</i> 179	
<i>Risk for Impaired Skin/Tissue Integrity</i> 181	
<i>Risk for Maternal Infection</i> 182	
<i>Risk for Fetal Injury</i> 183	
20. Labor Stage III: Placental Expulsion	185
<i>Risk for Deficient Fluid Volume</i> 185	
<i>Risk for Maternal Injury</i> 187	
21. Dysfunctional Labor/Dystocia	189
<i>Risk for Maternal Injury</i> 189	
<i>Risk for Fetal Injury</i> 192	
<i>Risk for Deficient Fluid Volume</i> 193	
<i>Ineffective Coping</i> 194	
22. Labor Induction/Augmentation	196
<i>Deficient Knowledge Regarding Procedure and Possible Outcomes</i> 197	
<i>Anxiety (Specify Level)</i> 198	
<i>Risk for Maternal Injury</i> 199	
<i>Risk for Impaired Fetal Gas Exchange</i> 201	
<i>Acute Pain</i> 202	
23. Cesarean Delivery	204
<i>Deficient Knowledge Regarding Surgical Procedure, and Postoperative Regimen</i> 204	
<i>Anxiety (Specify Level)</i> 205	
<i>Powerlessness</i> 207	
<i>Risk for Acute Pain</i> 207	
<i>Risk for Infection</i> 208	
<i>Risk for Impaired Fetal Gas Exchange</i> 209	
<i>Risk for Maternal Injury</i> 210	
<i>Risk for Decreased Cardiac Output</i> 211	
24. Precipitous Labor/Delivery	213
<i>Anxiety (Specify Level)</i> 213	
<i>Risk for Impaired Maternal Skin/Tissue Integrity</i> 214	
<i>Risk for Deficient Fluid Volume</i> 215	
<i>Acute Pain</i> 216	
<i>Risk for Fetal Injury</i> 217	
25. Intrapartal Hypertension	219
<i>Excess Fluid Volume (Circulating Deficit)</i> 219	
<i>Risk for Impaired Fetal Gas Exchange</i> 221	
<i>Impaired Urinary Elimination</i> 222	
<i>Risk for Maternal Injury</i> 223	
<i>Acute Pain</i> 224	

26. Intrapartal Diabetes Mellitus 226

Risk for Impaired Fetal Gas Exchange 226

Risk for Maternal Injury 228

Anxiety (Specify Level) 229

UNIT 4

Postpartum Period

27. Labor Stage IV: First Four Hours Following Delivery of the Placenta 233

Interrupted Family Process (Bonding Process) 233

Risk for Deficient Fluid Volume 235

Acute Pain 237

28. Four Hours to Two Days Postpartum 239

Acute Pain (Discomfort) 239

Ineffective Breastfeeding 241

Risk for Injury 243

Risk for Infection 245

Impaired Urinary Elimination 247

Risk for Deficient Fluid Volume 248

Risk for Excess Fluid Volume 250

Constipation 251

Risk for Impaired Parent/Infant Attachment 253

Disturbed Sleep Pattern 254

Risk for Ineffective Coping 255

Deficient Knowledge Regarding Self and Infant Care 256

Readiness for Enhanced Family Coping 258

29. Care Following Cesarean Delivery (4 Hours to 3 Days) 259

Impaired Mother-Baby Attachment 259

Acute Pain/Discomfort 261

Risk for Injury 263

Risk for Infection 265

Risk for Deficient Fluid Volume 267

Constipation 269

Deficient Knowledge Regarding Physiologic Changes, Self-care and Infant Care 270

Impaired Urinary Elimination 272

Self-care Deficit 273

30. Client at 24 to 48 Hours Following Discharge 275

Acute Pain/Discomfort 275

Deficient Knowledge Regarding Progression of Condition, Self-care Needs and Possible Complications 277

Disturbed Sleep Pattern 278

Risk for Infection 279

31. Client at One Week Following Discharge 281

Risk for Fatigue 281

Deficient Knowledge Regarding Self-care and Infant Care 282

Risk for Impaired Parent/Infant Attachment 284

Risk for Acute Pain (Discomfort) 285

Readiness for Enhanced Family Coping 286

Risk for Imbalanced Nutrition: Less than Body Requirement 287

Risk for Infection 289

Disturbed Body Image 290

Risk for Constipation 292
Risk for Compromised Family Coping 292

32. Postpartal Hemorrhage 294

Deficient Fluid Volume 295
Ineffective Tissue Perfusion 297
Anxiety 298
Risk for Infection 299
Deficient Knowledge Regarding Condition, Prognosis and Treatment 301

33. Puerperal Infection 302

Risk for Spread of Infection 303
Imbalanced Nutrition: Less than Body Requirements 305
Acute Pain/Discomfort 306
Risk for Impaired Parenting 307

34. Postpartal Diabetes Mellitus 309

Risk for Imbalanced Nutrition: Less than Body Requirements 309
Risk for Injury 311
Knowledge Deficit Regarding Condition, Prognosis and Treatment Needs 312
Risk for Altered Parenting 313

35. Puerperal Thrombophlebitis 315

Altered Tissue Perfusion 316
Acute Pain/Discomfort 317
Anxiety (Specify Level) 318
Knowledge Deficit Regarding Condition, Treatment and Prognosis 319

36. Parents of Newborns with Special Needs 321

Grieving Dysfunctional 321
Risk for Altered Parenting 323
High-Risk for Ineffective Family Coping 325
Knowledge Deficit Regarding Infant Care 327
At Risk for Social Isolation 328

37. Perinatal Loss 330

Grieving 330
Risk for Altered Family Process 332
Low Self-esteem 334
Knowledge Deficit Regarding Perinatal Loss and Future Expectations 335

UNIT 5

Newborn Period

38. Neonate: First Hour of Life 339

Risk for Impaired Gas Exchange 340
Risk for Imbalanced Body Temperature 342
Risk for Injury 343

39. Neonate at Two Hours to Two Days of Age 345

Risk for Imbalanced Body Temperature 346
Risk for Impaired Gas Exchange 348

	<i>Risk for Imbalanced Nutrition: Less than Body Requirements</i>	350
	<i>Risk for Infection</i>	351
	<i>Risk for Injury</i>	353
	<i>Risk for Constipation</i>	354
	<i>Risk for Deficient Fluid Volume</i>	356
	<i>Deficient Knowledge Regarding Growth and Development, and Care of Newborn</i>	357
40.	Neonate at Two Days to One Week Following Discharge	360
	<i>Risk for Imbalanced Nutrition: Less than Body Requirements</i>	361
	<i>Deficient Knowledge Regarding Newborn Needs/Care</i>	363
	<i>Risk for Injury</i>	364
	<i>Risk for Constipation/Diarrhea</i>	365
	<i>Risk for Impaired Skin Integrity</i>	366
	<i>Risk for Infection</i>	367
	<i>Risk for Acute Pain</i>	369
41.	Preterm Infant	371
	<i>Impaired Gas Exchange</i>	372
	<i>Ineffective Breathing Pattern</i>	375
	<i>Ineffective Thermoregulation</i>	376
	<i>Risk for Deficient Fluid Volume</i>	379
	<i>Risk for Imbalanced Nutrition: Less than Body Requirements</i>	381
	<i>Risk for Disorganized Infant Behavior</i>	383
	<i>Risk for Infection</i>	385
	<i>Risk for Constipation/Diarrhea</i>	388
	<i>Risk for Injury (CNS)</i>	389
42.	Newborn Having Hyperbilirubinemia	392
	<i>Risk for Injury: Central Nervous System Involvement</i>	393
	<i>Risk for Injury: Side Effects of Phototherapy</i>	396
	<i>Knowledge Deficit Regarding Condition, Prognosis and Treatment Needs</i>	397
	<i>Risk for Injury: Complications of Exchange Transfusion</i>	399
43.	Neonate of an HIV-Positive Mother	401
	<i>Risk for Infection</i>	401
	<i>Risk for Imbalanced Nutrition: Less than Body Requirement</i>	403
	<i>Risk for Delayed Growth and Development</i>	405
	<i>Deficient Knowledge Regarding Condition, Prognosis and Treatment Needs</i>	406
44.	Deviations in Growth Patterns	408
	<i>Impaired Gas Exchange</i>	409
	<i>Imbalanced Nutrition: Less than Body Requirements</i>	411
	<i>Risk for Ineffective Tissue Perfusion</i>	413
	<i>Risk for Injury</i>	414
	<i>Deficient Knowledge (of Parents) Regarding Condition, Prognosis and Treatment Needs</i>	415
	<i>Risk for Disorganized Infant Behavior</i>	416
45.	Infant of an Addicted Mother	417
	<i>Risk for CNS Injury</i>	418
	<i>Ineffective Airway Clearance/Impaired Gas Exchange</i>	420
	<i>Risk for Infection</i>	421
	<i>Imbalanced Nutrition: Less than Body Requirements</i>	422

Risk for Impaired Skin Integrity 423

Impaired Parenting 424

Deficient Knowledge Regarding Infant Condition, Prognosis and Care 425

46. Neonatal Circumcision

427

Deficient Knowledge Regarding Surgical Procedure and Prognosis 427

Acute Pain 428

Impaired Urinary Elimination 429

Risk for Injury: Hemorrhage 430

Risk for Infection 430

Bibliography

433

Index

435